AUTHOR INDEX

Abis, S., 203
Allaverdova, N. V., 273
Appa Rao, B., 261
Auffermann, G., 233

Baldan, C. A., 29
Bhaskara Sastry, V., 261
Bloch, J., 371
Bogdanov, V. I., 273
Borje, A., 233
Bormio, C., 29
Bose, D. K., 189
Brami, D., 371
Bronger, W., 233
Bueno, I., 261
Buschow, K. H. J., 221, 291

Cheng, C. C., 15
Chou, Y. T., 283
Cousson, A., 345

Denissen, C. J. M., 291
Dettingmeijer, J. H., 331
Dielis, H. R., 331
Dietderich, D. R., 79

Ellis, A. B., 299

Fischer, P., 21
Frachon, D., 321

Gajek, Z., 351
Garcia, O., 261
Gasperin, M., 345
Gregory, E., 45, 53
Gupta, C. K., 189

Hakimi, M., 159
Halbritter, J., 133
Hecker, A., 53
Heitman, P. W., 67
Higashi, I., 211
Hormann, M., 1

Im, Y., 87
Itoh, K., 305

Jacob, K. T., 249
Jeitschko, W., 359
Johnson, P. E., 87
Jove, J., 345

Kistaiah, P., 261
Kneisel, P., 179
Kobayashi, T., 211
Komura, Y., L1
Kreilick, T. S., 45
Kremner, A., 371
Krishnamurthy, N., 189
Krupa, J. C., 351
Kucherenko, L. A., 273
Kumar, P., 149
Kuroda, H., 305

Lahalle, M. P., 351
Laverick, C., 107
Lonnberg, B., L7
Lundstrom, T., L7

McKnelly, Jr., L. T., 87
Maeda, A., 305
Matacotta, F. C., 123
Mintz, M. H., 371
de Mooij, B. D., 291
Morris, Jr., J. W., 79, 87
Morsen, E., 359
Mulak, J., 351
Müller, G., 97
Muller, P., 233
Muller-Warmuth, W., 359

Noréus, D., 233

Olzi, E., 123
Osugi, R., L1

Padamsee, H., 167
Parada, C., 261
Pellegrini, V., 203
Petzow, G., 97
Pierre, J., 321
Pimenta Neto, J. A., 29
Pinatti, D. G., 29
Portnoy, V. K., 273

Qhashi, K., L1
Qin, W. F., 283

Ralls, K. M., 67
Reehuis, M., 359
Rose, R. M., 67
Rosenthal, G. L., 299
Ruban, A. V., 273

Saez Puche, R., 261
Saine, M.-C., 315
Satake, T., 305
Satyanarayana Murthy, K., 261
Schobinger-Paramantellos, P., 221
Schulze, K., 97
Setina, P., 123
Shishido, T., 211
Siaud, E., 321
Smathers, D. B., 61
Spittank, H., 233
Sukurai, J., L1
Szabo, T., 233

Tajima, H., 305
Takei, H., 211
Takui, T., 305
Tawara, Y., L1
Tornroos, K. W., 233
Tribula, D., 79

Verhoeven, J. D., 15

Waseda, Y., 249
Wong, J., 45, 53

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Accelerator cavities
high purity Nb for superconducting accelerator cavities, 167
Aluminides
X-ray determination of Debye temperatures of some rare earth dialuminides, 241
Aluminium
(Al–Si–Cu)–(Al_2O_3–SiO_2) metal matrix composite produced in semisolid state, 203
atomic distribution of alloying additions between sublattices in the intermetallic compounds Ni_3Al and NiAl:I. Phenomenological treatment, 273
Nb_3Al formation in sputter-deposited Nb/Al multilayer samples, 87
preparation of ductile Nb–Al powders for the fabrication of Nb_3Al superconductors, 97
Atomic distribution
atomic distribution of alloying additions between sublattices in the intermetallic compounds Ni_3Al and NiAl:I. Phenomenological treatment, 273

Barium
vapour pressures of Ba and Sr, 249
Borides
crystal structure of $PrRh_{4.8}B_2$, 211
study of the thermal expansion of sample within the homogeneity ranges of NbB_2 and TaB_2, L7
Bronze-processing
Nb_3Sn grain structure evolution in bronze-processed multifilamentary superconducting wire, 79
bronze-processed Nb_3Sn for r.f. applications, 159

Chromates
crystal growth, IR and Raman spectra, thermal decomposition and magnetic properties of $KLn(CrO_4)_2$ (Ln ≡ Pr, Nd, Sm), 261
Cobalt
structure and magnetic properties of the $LaCo_8P_5$-type compounds $PrCo_8P_5$, 359
Composites
design and fabrication of multifilamentary NbTi composites utilizing various matrix materials, 45
Copper
(Al–Si–Cu)–(Al_2O_3–SiO_2) metal matrix composite produced in semisolid state, 203
Crystal-field effect
crystal-field effect in UO_2, 351
Crystal structure
crystal structure of $PrRh_{4.8}B_2$, 211
synthesis and crystal structure of $K_2U_2O_7$ and Mössbauer (^{237}Np) studies of $K_2Np_2O_7$ and $CaNpO_4$, 345

Debye temperature
X-ray determination of Debye temperatures of some rare earth dialuminides, 241
Demand
Nb demand and superconductor applications: an overview, 107
Design
design and fabrication of multifilamentary NbTi composites utilizing various matrix materials, 45
Diffusion
analysis of tin diffusion in the preparation of Nb_3Sn superconducting wire and sheet, 15
Dislocation etch pits
new electrolytic etchant for dislocation etch pits in Ni_3Al single crystals, 283

Effusion measurements
mass spectrometric and weigh-loss effusion measurements of the sublimation of TmI_3, 331
Etchant
new electrolytic etchant for dislocation etch pits in Ni_3Al single crystals, 283

© Elsevier Sequoia/Printed in The Netherlands

Germanides
magnetic structure and properties of equiatomic rare earth germanides, 221
Gettering
use of the Ti solid state gettering process for the improvement of the performance of superconducting r.f. cavities, 179
Grain structure
Nb_3Sn grain structure evolution in bronze-processed multifilamentary superconducting wire, 79

High purity niobium
high purity Nb for superconducting accelerator cavities, 167
High purity Nb for superconducting applications, 149
preparation of high purity Nb, 189
Hydrides
Na_2PdH_2 hydride with a novel linear $[PdH_2]$ complex, 233

Intermetallic compounds
identification of the intermetallic compounds consisting of Sm, Ti, Fe, L1
Iron
identification of the intermetallic compounds consisting of Sm, Ti, Fe, L1

Lanthanoids
crystal growth, IR and Raman spectra, thermal decomposition and magnetic properties of $KLn(CrO_4)_2$ (Ln ≡ Pr, Nd, SM), 261
Lanthanon uranyl phosphates
structural and photoluminescent properties of fully hydrated lanthanon uranyl phosphates, 299
Laves phase
role of Nb in the processing of Laves phase superconducting wires, 123

Magnetic properties
magnetic properties of rare earth disilicides RSi_2, 321
structure and magnetic properties of the $LaCo_8P_5$-type compounds $PrCo_8P_5$, 359
Magnetic structure
magnetic structure and properties of equiatomic rare earth germanides, 221
Mass spectrometry
mass spectrometric and weigh-loss effusion measurements of the sublimation of thulium triiodide, 331
Mössbauer effect
structure and ^{57}Fe Mössbauer effect in $R_2Fe_{14}C$ compounds, 291

Nb_3Zr
Whatever happened to Nb_3Zr? 67
Neptunium
synthesis and crystal structure of $K_2U_2O_7$ and Mössbauer (^{237}Np) studies of $K_2Np_2O_7$ and $CaNpO_4$, 345
Nickel
atomic distribution of alloying additions between sublattices in the intermetallic compounds Ni_3Al and NiAl:I. Phenomenological treatment, 273

Oxidation
low temperature oxidation of Nb and of Nb-compounds in relation to superconducting application, 133
Oxides
synthesis and crystal structure of $K_2U_2O_7$ and Mössbauer (^{237}Np) studies of $K_2Np_2O_7$ and $CaNpO_4$, 345

Palladium
Na_2PdH_2 hydride with a novel linear $[PdH_2]$ complex, 233
Phosphides
structure and magnetic properties of the $LaCo_8P_5$-type compounds $PrCo_8P_5$, 359
Photoluminescence
structural and photoluminescent properties of fully hydrated lanthanon uranyl phosphates, 299
Potassium
crystal growth, IR and Raman spectra, thermal decomposition and magnetic properties of $KLn(CrO_4)_2$ (Ln ≡ Pr, Nd, Sm), 261
Powder metallurgy
Nb_3Sn produced commercially by powder metallurgy techniques, 53
Praseodymium
crystal structure of $PrRh_{4.8}B_2$, 211

Processing
role of niobium in the processing of Laves phase superconducting wires, 123
Production
production of high thermal conductivity Nb on a technical scale for high frequency superconductivity, 1
production scale niobium ingots for r.f. cavity applications, 61

Rare earths
magnetic properties of rare earth disilicides RSi_2, 321
magnetic structure and properties of equiatomic rare earth germanides, 221
nature of the 4f spin in the high T_c superconductors containing paramagnetic rare-earth elements $REBa_2Cu_3O_{7-y}$ (RE + Gd, Dy, Ho, Er and Tm), 305
X-ray determination of Debye temperatures of some rare earth dialuminides, 241
r.f. applications
bronze-processed Nb_3Sn for r.f. applications, 159
production scale niobium ingots for r.f. cavity applications, 61
use of the Ti solid state gettering process for the improvement of the performance of superconducting r.f. cavities, 179
Rhodium
crystal structure of $PrRh_{4.8}B_2$, 211

Samarium
identification of the intermetallic compounds consisting of Sm, Ti, Fe, L1
Silicides
magnetic properties of rare earth disilicides RSi_2, 321
Silicon
(Al–Si–Cu)–(Al_2O_3–SiO_2) metal matrix composite produced in semisolid state, 203
Sodium
Na_2PdH_2 hydride with a novel linear [PdH_2] complex, 233
Spin
nature of the 4f spin in the high T_c superconductors containing paramagnetic rare-earth elements $REBa_2Cu_3O_{7-y}$ (RE + Gd, Dy, Ho, Er and Tm), 305
Sputter-deposition
Nb_3Al formation in sputter-deposited Nb/Al multilayer samples, 87
Strontium
vapour pressures of Ba and Sr, 249
Structure
structural and photoluminescent properties of fully hydrated lanthanon uranyl phosphates, 299
structure and ^{57}Fe Mössbauer effect in $R_2Fe_{14}C$ compounds, 291
structure and magnetic properties of the $LaCo_8P_5$-type compounds $PrCo_8P_5$, 359
synthesis and structure of a quadratic bronze containing U^{6+}, 315
Superconductivity
nature of the 4f spin in the high T_c superconductors containing paramagnetic rare-earth elements $REBa_2Cu_3O_{7-y}$ (RE + Gd, Dy, Ho, Er and Tm), 305
Superconducting wires
analysis of tin diffusion in the preparation of Nb_3Sn superconducting wire and sheet, 15
Nb_3Sn grain structure evolution in bronze-processed multifilamentary superconducting wire, 79
role of niobium in the processing of Laves phase superconducting wires, 123
Superconductor applications
electron-beam-melted NbTi alloy and its superconductor cable, 29
high purity Nb for superconducting accelerator cavities, 167
high purity niobium for superconducting applications, 149
low temperature oxidation of Nb and of Nb-compounds in relation to superconducting application, 133
niobium demand and superconductor applications: an overview, 107
preparation of ductile Nb–Al powders for the fabrication of Nb_3Al superconductors, 97
production of high thermal conductivity Nb on technical scale for high frequency superconductivity, 1
Synthesis
synthesis and crystal structure of $K_2U_2O_7$ and Mössbauer (^{237}Np)

studies of $K_2Np_2O_7$ and $CaNpO_4$, 345
synthesis and structure of a quadratic bronze containing U^{6+}, 315

Thermal conductivity
production of high thermal conductivity Ni on a technical scale for high frequency superconductivity, 1
Thermal expansion
study of the thermal expansion of sample within the homogeneity ranges of NbB_2 and TaB_2, L7
Thulium triiodide
mass spectrometric and weigh-loss effusion measurements of the sublimation of TmI_3, 331
Tin
analysis of tin diffusion in the preparation of Nb_3Sn superconducting wire and sheet, 15
bronze-processed Nb_3Sn for r.f. applications, 159
Nb_3Sn produced commercially by powder metallurgy techniques, 53
Titanium
electron-beam-melted NbTi alloy and its superconductor cable, 29
identification of the intermetallic compounds consisting of Sm, Ti, Fe, L1
use of the Ti solid state gettering process for the improvement of the performance of superconducting r.f. cavities, 179
Topochemical-kinetic behaviour
effects of gas phase impurities on the topochemical–kinetic behaviour of uranium hydride development, 371

Uranium dioxide
crystal-field effect in UO_2, 351
Uranium hydride
effects of gas phase impurities on the topochemical–kinetic behaviour of uranium hydride development, 371

Vapour pressures
vapour pressures of Ba and Sr, 249

Zirconium
what happened to Nb_3Zr? 67